

## Polipol 373



Polipol™ 373 – ?? ??????????? ???????, ????????????????, ????????????, ?????????????? ?????????????? ??????

????????: ???? ??? ???????  
?????? ??????? ?? ????? ???????

?????????????: [Polipol](#)

?????????

{jutabs position="top"}  
[tab height="100%" title="????????"]

??????????

Polipol™ 373 – ?? ??????????? ???????, ????????????????, ????????????, ?????????????? ?????????????? ??????

????????? ????????

? ?????? ??? ??????????? ?????? Polipol 373 ??????????? ?????? ??? ??????????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? 100%. ??? ?????? ??? ??????????? ??????????? ????????, ?????? ??? ??????????? ?? ?????????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? 5-30% ??? ?????? ??? ????????????. ??? ?????? ??????????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ??????.

?????????? ???	SHORE A	BARKOL 935	BARKOL 934
100% Polipol 353	-	90	41
5% Polipol 373 + 95% Polipol 353	-	88	37
10% Polipol 373 + 90% Polipol 353	-	87	35
20% Polipol 373 + 80% Polipol 353	-	80	25
25% Polipol 373 + 75% Polipol 353	-	75	14
30% Polipol 373 + 70% Polipol 353	99	72	-
40% Polipol 373 + 60% Polipol 353	99-98	55	-
50% Polipol 373 + 50% Polipol 353	98	30	-
60% Polipol 373 + 40% Polipol 353	97	-	-
70% Polipol 373 + 30% Polipol 353	94	-	-

80% Polipol 373 + 20% Polipol 353	85	-	-
90% Polipol 373 + 10% Polipol 353	75	-	-
100% Polipol 373	65	-	-

???????????????

Poliya Polyester ve Yardimi Maddeleri Sanayi

Esenyurt yolu No:72 Avcilar 34841 Istanbul – TURKIYE

Tel: +90 212 509 31 90 Fax: +90 212 509 31 94

Internet: www.poliya.com.tr

[/tab]  
[tab height="100%" title="?????????????????"]

????????? ?????????????????? ?????

?????	?????????????	????????? ??????????	?????
?????	max. 400	Hazen	ISO 2211
??????????	1,131 ± 5%	?/cm3	ISO 1675
?????? ????????????	1,516 ± 5 %		ISO 0489
????????? ????????	28 ± 20%	m? KOH / ?	ISO 2114
????????? ?? ????????????	850 ± 30%	cp at 23°C	ISO 2555
T???????????????		-	
????????? ????????	36 ± 12%	%	
????? ????????????????	35 ± 40%	?????	ISO 2535
????????? ????????	??? 23 °C, 1 % ml Co ( 1 % con. ), 1 % ml Mek-p ( Butanox M 60 ).		
????????? ????????	36	°C	Abel-Pernksy
????????? ????????			
????????? 6 ??????? ??? 20°C, ??? ?????????? ????????			
????? ????????	????????? ????????		
?????????	220/20/18	??	

????????? ??????????????

????? ?????????????? ?? 80 °C ? 2 % ( 50 % ) Benzoyl Peroxide Paste (Lucidol KL-50, Akzo)

???????????	????????? ????????????	???????
65 °C ? 90 °C	7' 28" ???.	ISO 0584
t65 °C ? T max °C	15' 24" ???.	
t max	22' 24" ???.	
T max (??? ??????????)	129 °C	

????????? ?????? ?????????? ± 10% .

????????? ?????????????? ?????

?DT	?? ?????????? 0C	?????????????	????????? ??????????	??????
?? ??????????		ISO 0075-?		

????????????? ??????????????????	?? ????????????	%	ISO 0062
????????? ?? ????????	?? ????????????		ASTM D 2583
?????? ?????????? ????????	?? ????????????	%	ISO 3521
????????? ?? ????????	?? ????????????	MPa	ISO 0178
?????? ?????????? ?? ????????	?? ????????????	MPa	ISO 0178
????????? ?? ????????	?? ????????????	&	ISO 0178
????????? ??????????	?? ????????????	MPa	ISO 0527
????????? ?????????? ?? ??????????????	?? ????????????	MPa	ISO 0527
????????? ?? ????????	?? ????????????	%	ISO 0527
????????? ?????????? ?? ??????????????	?? ????????????	kJ/m2	ISO 0180

???????????: ?????????????????? ?????? ????. ????????????? ?? ?????????? ??????

??? ??????????	24 ????
??? 50 °	1 ???
??? 80 °C	1 ???
??? 110 °C	1 ???

[/tab]  
[tab title="??????????"]

?????? ????????????

Polipol™ 373 – ??? ?????????? ? ?????? ??? ?????????? ?????????? ?????????? ?????? ..

[/tab]  
{/jutabs}